

**To:** LaPoma, Jennifer[LaPoma.Jennifer@epa.gov]  
**From:** Bolduc, Jean M  
**Sent:** Mon 3/14/2016 5:21:34 PM  
**Subject:** RE: New Cassel PDI Master Files

You might want to compare the new text with Pete’s previous comments regarding deliverables because I added some Tech Memos for the effluent discharge evaluation options that you will probably need to add to your SOW Table 4 schedule.

---

**From:** LaPoma, Jennifer [mailto:LaPoma.Jennifer@epa.gov]  
**Sent:** Monday, March 14, 2016 1:19 PM  
**To:** Bolduc, Jean M (US) <jean.m.bolduc@lmco.com>  
**Cc:** Catanzarita, Jeff <Catanzarita.Jeff@epa.gov>  
**Subject:** EXTERNAL: RE: New Cassel PDI Master Files

Thanks for the quick turn around on this.  
We will get you any feedback by Wednesday.

---

**From:** Bolduc, Jean M [mailto:jean.m.bolduc@lmco.com]  
**Sent:** Monday, March 14, 2016 12:59 PM  
**To:** LaPoma, Jennifer <LaPoma.Jennifer@epa.gov>  
**Cc:** Catanzarita, Jeff <Catanzarita.Jeff@epa.gov>  
**Subject:** New Cassel PDI Master Files

Jen,

Files are attached for the text, tables and figures plus cost estimate.

I will send the files for the appendices separately.

The PDIWP will need to go thru a final review at SERAS too.

I am going to be on vacation from Friday afternoon March 18 thru Monday, March 21. So I will need comments back by COB on Wednesday, March 16 if that is possible.

Jean Bolduc  
LM/SERAS  
2890 Woodbridge Ave.  
Edison, NJ 08837  
Ph. 732-321-4280